


PRESENTATION TRAY SYSTEM


DESCRIPTION

INTERNAL DIMENSIONS





* **KAS001** 16 ON RING TRAY
EACH RING INDIVIDUALLY
SET IN SOFT ROLL
IN INDIVIDUAL SECTION
35MMX35MM

224mmx224mmx32mm




* **KAS002** 6 ON BRACELET TRAY EACH LIFT OUT INNER PAD
220MMX33MM IN INDIVIDUAL SECTION
WHEN PLACING ORDER PLEASE STATE TYPE OF INSERT
PAD REQUIRED REFER TO DIAGRAM
A- PAD WITH TWO ELASTIC LOOPS
B- PAD WITH ONE HOOK & ONE ELASTIC LOOP
C- PAD PLAIN NO PIERCING
ALL INNER PADS COMPLETE WITH LIFT RIBBON

224mmx224mmx24mm




* **KAS003** 16 ON DOUBLE RING/HOOP EARRING TRAY
EACH SOFT ROLL PAD IN INDIVIDUAL SECTION
35MMX35MM

224mmx224mmx32mm



* **KAS004** 12 ON PAD TRAY
EACH LIFT OUT INNER PAD 52MMX70MM
WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.
A- PAD SLITS FOR NECK CHAIN PORTRAIT
B - PAD PLAIN NO PIERCING PORTRAIT
C- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT
D- PAD PLAIN NO PIERCING LANDSCAPE
E- PAD WITH TWO ELASTIC LOOPS FOR CUFFLINKS LANDSCAPE
F- FLAP EARRING PAD FLAP RETURN 15MM WITH HOLES
INNER PAD A,B,C,D,E COMPLETE WITH LIFT RIBBON

224mmx224mmx24mm




PRESENTATION TRAY SYSTEM

DESCRIPTION

INTERNAL DIMENSIONS

* KAS005 12 ON PAD TRAY



A



B



C



D



E



F



G

EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 40MMX60MM
PADS RAISED ON SHOULDERS TO ALLOW
FOR EARRING WIRE OR CHAIN BEHIND PAD

WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

224mmx224mmx32mm

A- PAD SLOTTED FOR NECK CHAIN PORTRAIT

B- PAD WITH TWO HOLES 15MM DOWN FROM TOP EDGE FOR EARRINGS PORTRAIT

C- PAD WITH TWO HOLES 20MM DOWN FROM TOP EDGE FOR EARRINGS PORTRAIT

D- PAD PLAIN NO PIERCING PORTRAIT


E- PAD WITH TWO SLOT FOR EARRING WITH SAFETY WIRE PORTRAIT

F- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT


G- PAD PIERCED WITH TWO HOLES FOR STUD EARRING LANDSCAPE

ALL INNER PADS COMPLETE WITH LIFT RIBBON

* KAS006 6 ON PAD TRAY



A



B



C



D



E



F



G



H

EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 50MMX74MM
PADS RAISED ON SHOULDERS TO ALLOW
FOR EARRING WIRE OR CHAIN BEHIND PAD

WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

224mmx224mmx32mm

A- PAD SLITS FOR NECK CHAIN PORTRAIT

B- PAD WITH TWO HOLES 15MM DOWN FROM TOP EDGE FOR EARRINGS PORTRAIT

C- PAD PLAIN NO PIERCING PORTRAIT

D- PAD WITH TWO SLOT FOR EARRING WITH SAFETY WIRE PORTRAIT

E- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT

F- PAD PLAIN NO PIERCING LANDSCAPE

G- PAD PIERCED FOR STUD EARRING LANDSCAPE


H- PAD WITH ELASTIC LOOP LANDSCAPE

ALL INNER PADS COMPLETE WITH LIFT RIBBON

PRESENTATION TRAY SYSTEM

DESCRIPTION

INTERNAL DIMENSIONS



*** KAS008** NECKLACE TRAY

INNER BASE LIFT OUT PAD COVERED FABRIC
WHEN PLACEING ORDER, PLEASE STATE TYPE OF INSERT


PAD REQUIRED REFER TO DIAGRAM

A- PAD WITH RAISED SECTION FOR NECKLACE WITH
TWO ADJUSTABLE STRAPS


B- PAD PLAIN LIFT OUT

224mmx224mmx32mm


ALL PADS COMPLETE WITH LIFT RIBBON



A



B



*** KAS009** 36 ON PAD TRAY

EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 33MMX33MM

224mmx224mmx24mm

WHEN PLACE ORDER, PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM


A- PAD PLAIN NO PIERCING

B- PAD WEDGE FOR STUD EARRINGS

C- PAD FLAT PIERCED FOR EARRINGS

D- PAD FLAT WITH CENTRE HOLE FOR TIE STUD

ALL PADS COMPLETE WITH LIFT RIBBON




A

B

C


D



*** KAS010** CHAIN TRAY

ROW OF HOOKS TO HOLD CHAINS/ BRACELETS
14 HOOKS COVERED BY LIFT UP FLAP

224mmx224mmx24mm



*** KAS014** CHAIN TRAY


ROW OF HOOKS TO HOLD CHAINS/BRACELETS
14 HOOKS WITHOUT FLAP TO COVER HOOKS

224mmx224mmx24mm

PRESENTATION TRAY SYSTEM

DESCRIPTION


INTERNAL DIMENSIONS




*** KAS011** 24 ON PAD TRAY

EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 33MMX50MM
WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

224mmx224mmx24mm




A- PAD WEDGE EARRING PORTRAIT
B- PAD PLAIN NO PIERCING PORTRAIT
C- PAD SLITS FOR NECK CHAIN PORTRAIT
D- PAD WITH TWO SLOTS FOR EARRING WITH SAFETY WIRE PORTRAIT
E- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT
F- PAD PIERCED TWO STUD EARRING 20MM DOWN FROM TOP EDGE PORTRAIT
ALL INNER PADS COMPLETE WITH LIFT RIBBON



*** KAS012** 2 ON NECKLACE TRAY

INNER LIFT OUT PAD COVERED FABRIC
EACH SECTION 105MMX220MM
WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

224mmx224mmx24mm




A- PAD WITH TINS TO HOLD CHAIN IN PLACE
B- PAD PLAIN NO PIERCING PORTRAIT
C- PAD SLITS
ALL INNER PADS COMPLETE WITH LIFT RIBBON

PRESENTATION TRAY SYSTEM


DESCRIPTION

INTERNAL DIMENSIONS




- * **KAS013** 8 ON WATCH TRAY
EACH SECTION 28MMX90MM
COMPLETE WITH C BAND
TO HOLD WATCH IN PLACE
IN EACH SECTION

224mmx224mmx60mm




- * **KAS015** 9 ON RING TRAY
EACH RING INDIVIDUALLY
SET IN SOFT ROLL
IN INDIVIDUAL SECTION
35MMX35MM

224mmx224mmx32mm



- * **KAS016** BANGLE TRAY WITH 4 SECTION
CUSHION CUT CRIMP EDGE

224mmx224mmx32mm




- * **KAS017** 2 ON NECKLACE TRAY
INNER LIFT OUT PAD COVERED FABRIC
EACH SECTION 105MMX180MM
WITH 5 TINS
TWO TINS TO HOLD NECKLACE
CENTRE TIN TO HOLD RING
TWO TINS LOWER DOWN WITH
HOLES FOR EARRINGS

224mmx224mmx32mm

PRESENTATION TRAY SYSTEM


DESCRIPTION

INTERNAL DIMENSIONS




- * **KAS018** TRAY TO HOLD ONE LARGE PENDANT ON LIFT OUT PAD WITH TWO CORNER COVERED TINS TO HOLD NECKLACE IN PLACE
TWO RING SOFT ROLL INSERTS IN WHITE SURROUNDS
TWO EARRING PADS LIFT OUT IN WHITE
PLASTIC SURROUNDS PADS RAISED ON BEARER TO ALLOW FOR EARRING POSTS

224mmx224mmx32mm




- * **KAS019** TRAY WITH TWO LIFT OUT WEDGE PADS THAT WILL HOLD PENDANT OR EARRINGS
THREE METAL COVERED CLIPS TO HOLD RINGS

224mmx224mmx32mm



- * **KAS020** 20 ON RING TRAY
EACH RING INDIVIDUALLY SET IN SOFT ROLL IN INDIVIDUAL SECTION
35MMX35MM

224mmx224mmx32mm



- * **KAS021** 25 SMALL STUD EARRING TRAY
IN INDIVIDUAL SECTION
35MMX35MM


224mmx224mmx32mm



PRESENTATION TRAY SYSTEM


DESCRIPTION

INTERNAL DIMENSIONS



- * **KAS029** BANGLE TRAY
EIGHT SOFT ROLL BASE INSERT
PADDED WITH FOAM
TWO HOLD ROWS
OF SEVEN BANGLES UPRIGHT

224mmx224mmx80mm




- * **KAS030** 2 ON NECKLACE TRAY
INNER LIFT OUT PAD WITH TWO TOP
COVERED TINS TO HOLD NECKLACE
TWO COVERED TINS WITH HOLES FOR EARRINGS
ONE RING SOFT ROLL SLOT FOR RING
EACH SECTION 105MMX180MM

224mmx224mmx32mm

PRESENTATION TRAY SYSTEM


DESCRIPTION

INTERNAL DIMENSIONS





* **KAS101** 32 ON RING TRAY
 EACH RING INDIVIDUALLY
 SET IN SOFT ROLL
 IN INDIVIDUAL SECTION
 35MMX35MM

448mmx224mmx32mm




* **KAS102** 12 ON BRACELET TRAY EACH LIFT OUT INNER PAD
 220MMX33MM IN INDIVIDUAL SECTION
 WHEN PLACING ORDER PLEASE STATE TYPE OF INSERT
 PAD REQUIRED REFER TO DIAGRAM
 A- PAD WITH TWO ELASTIC LOOPS
 B- PAD WITH ONE HOOK & ONE ELASTIC LOOP
 C- PAD PLAIN NO PIERCING
 ALL INNER PADS COMPLETE WITH LIFT RIBBON

448mmx224mmx24mm




* **KAS103** 32 ON DOUBLE RING/HOOP EARRING TRAY
 EACH SOFT ROLL PAD IN INDIVIDUAL SECTION
 35MMX35MM

448mmx224mmx32mm



* **KAS104** 24 ON PAD TRAY
 EACH LIFT OUT INNER PAD 52MMX70MM
 WHEN PLACING ORDER PLEASE STATE TYPE OF
 INSERT PAD REQUIRED REFER TO DIAGRAM.
 A- PAD SLITS FOR NECK CHAIN PORTRAIT
 B - PAD PLAIN NO PIERCING PORTRAIT
 C- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT
 D- PAD PLAIN NO PIERCING LANDSCAPE
 E- PAD WITH TWO ELASTIC LOOPS FOR CUFFLINKS LANDSCAPE
 ALL INNER PADS COMPLETE WITH LIFT RIBBON

448mmx224mmx24mm




PRESENTATION TRAY SYSTEM

DESCRIPTION

INTERNAL DIMENSIONS

* KAS105 24 ON PAD TRAY



EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 40MMX60MM
PADS RAISED ON SHOULDERS TO ALLOW
FOR EARRING WIRE OR CHAIN BEHIND PAD

WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

448mmx224mmx32mm

A- PAD SLOTTED FOR NECK CHAIN PORTRAIT

B- PAD WITH TWO HOLES 15MM DOWN FROM TOP EDGE FOR
EARRINGS PORTRAIT

C- PAD WITH TWO HOLES 20MM DOWN FROM TOP EDGE FOR
EARRINGS PORTRAIT


D- PAD PLAIN NO PIERCING PORTRAIT

E- PAD WITH TWO SLOT FOR EARRING WITH SAFETY WIRE PORTRAIT


F- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT

G- PAD PIERCED WITH TWO HOLES FOR STUD EARRING LANDSCAPE

ALL INNER PADS COMPLETE WITH LIFT RIBBON



* KAS106 12 ON PAD TRAY



EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 50MMX74MM
PADS RAISED ON SHOULDERS TO ALLOW
FOR EARRING WIRE OR CHAIN BEHIND PAD

WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

448mmx224mmx32mm

A- PAD SLITS FOR NECK CHAIN PORTRAIT

B- PAD WITH TWO HOLES 15MM DOWN FROM TOP EDGE FOR
EARRINGS PORTRAIT

C- PAD PLAIN NO PIERCING PORTRAIT

D- PAD WITH TWO SLOT FOR EARRING WITH SAFETY WIRE PORTRAIT


E- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT

F- PAD PLAIN NO PIERCING LANDSCAPE

G- PAD PIERCED FOR STUD EARRING LANDSCAPE

H- PAD WITH ELASTIC LOOP LANDSCAPE

ALL INNER PADS COMPLETE WITH LIFT RIBBON




PRESENTATION TRAY SYSTEM

DESCRIPTION


INTERNAL DIMENSIONS

* KAS108 TWO NECKLACE TRAY



INNER BASE LIFT OUT PAD COVERED FABRIC
 WHEN PLACEING ORDER, PLEASE STATE TYPE OF INSERT
 PAD REQUIRED REFER TO DIAGRAM
 A- PAD WITH RAISED SECTION FOR NECKLACE WITH
 TWO ADJUSTABLE STRAPS
 B- PAD PLAIN LIFT OUT
 ALL PADS COMPLETE WITH LIFT RIBBON


448mmx224mmx32mm



A


B

* KAS109 72 ON PAD TRAY



EACH LIFT OUT INNER PAD SET IN
 INDIVIDUAL SECTION 33MMX33MM
 WHEN PLACE ORDER, PLEASE STATE TYPE OF
 INSERT PAD REQUIRED REFER TO DIAGRAM
 A- PAD PLAIN NO PIERCING
 B- PAD WEDGE FOR STUD EARRINGS
 C- PAD FLAT PIERCED FOR EARRINGS
 D- PAD FLAT WITH CENTRE HOLE FOR TIE STUD
 ALL PADS COMPLETE WITH LIFT RIBBON

448mmx224mmx24mm




A

B

C

D



* KAS110 CHAIN TRAY
 ROW OF HOOKS TO HOLD CHAINS/ BRACELETS
 28 HOOKS COVERED BY LIFT UP FLAP

448mmx224mmx24mm



* KAS114 CHAIN TRAY
 ROW OF HOOKS TO HOLD CHAINS/BRACELETS
 28 HOOKS WITHOUT FLAP TO COVER HOOKS



448mmx224mmx24mm

PRESENTATION TRAY SYSTEM

DESCRIPTION

INTERNAL DIMENSIONS

* KAS111 48 ON PAD TRAY





EACH LIFT OUT INNER PAD SET IN
INDIVIDUAL SECTION 33MMX50MM
WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

448mmx224mmx24mm

A- PAD WEDGE EARRING PORTRAIT
B- PAD PLAIN NO PIERCING PORTRAIT
C- PAD SLITS FOR NECK CHAIN PORTRAIT
D- PAD WITH TWO SLOTS FOR EARRING WITH SAFETY WIRE PORTRAIT
E- PAD WITH HOOK 5MM DOWN FROM TOP EDGE PORTRAIT
F- PAD PIERCED TWO STUD EARRING 20MM DOWN FROM TOP EDGE
ALL INNER PADS COMPLETE WITH LIFT RIBBON

* KAS112 4 ON NECKLACE TRAY




A B

INNER LIFT OUT PAD COVERED FABRIC
EACH SECTION 105MMX220MM
WHEN PLACING ORDER PLEASE STATE TYPE OF
INSERT PAD REQUIRED REFER TO DIAGRAM.

A- PAD WITH TINS TO HOLD CHAIN IN PLACE
B- PAD PLAIN NO PIERCING PORTRAIT
ALL INNER PADS COMPLETE WITH LIFT RIBBON

448mmx224mmx24mm

* KAS113 16 ON WATCH TRAY



EACH SECTION 28MMX90MM
COMPLETE WITH C BAND
TO HOLD WATCH IN PLACE
IN EACH SECTION

448mmx224mmx60mm